


Lighting solutions



Personalize your pool

Led pool lights


Adagio

Adagio

Moonlight

PAR56 retrofit

Adagio led pool lights



Why Adagio PRO

- Can be installed in most 1 1/2" wall conduits
- Life time: >50.000 hours
- High quality polymers are used and resin filled
- The 170mm diameter is fully compatible with PAR56 niche
- Detachable 4m rubber cable (2 wires) included with Quick Connect™ feature
- RGB types offer programmable white and 11 colour programs
- RGB types can be dimmed
- Made in Belgium Max: +32 (0)495/790.892.





A colour for every mood



AdagioPro lamps offer you a range of fixed colours and dynamic lights. With just one click on the remote, you can give your swimming pool a totally different look.

Daylight Blue A bright-blue brilliance

Sunset
Love is in the Air
Forest Spring
Think Pink
The orange gleam gently rippling across the water
Red tints for an unforgettable tête-à-tête by the water.
Garden and pool unite as one with this green look.
Would you like to try something daring?

With lilac and pink, all eyes will unquestionably be on your

water show!

Sunshine A warm yellow sun that shines whenever you want.

White nuances

AdagioPro lamps offer you three different nuances of white light (with the RGB version). The light-output is dimmable.

Sun white The stunning white of a hot southern summer day.

Do you have your sunglasses at your fingertips?

Neutral white A nice, even and sober light embellishes your swimming

pool in the garden.

Warm white Some extra red in the colour composition creates

an astonishing warm and soft white tint.



Face plates

See page 6 and 7 for more face plates



Wall mounting accessories for all types of pools

Wall conduit in



Wall conduit in high quality polymer





Ordering code	LED	Light output	Р	U	Ø
PLP050-WH	White	600 lm	6 W	12V AC	5 cm
PLP050-WW	Warm White	540 lm	6 W	12V AC	5 cm
PLP100-WH	White	2600 lm	30 W	12V AC	10 cm
PLP100-WW	Warm white	2350 lm	30 W	12V AC	10 cm
PLP170-WH	White	5500 lm	60 W	12V AC	17 cm
PLP170-WW	Warm white	4950 lm	60 W	12V AC	17 cm
PLP050-RGB	RGB	400 lm	10 W	12V AC	5 cm
PLP100-RGB	RGB	1700 lm	45 W	12V AC	10 cm
PLP170-RGB	RGB	3000 lm	75 W	12V AC	17 cm

more specs see 12-13

Adagio led pool lights



Why Adagio

- 2 diameters are available: 100 and 170mm
- Can be installed in most 1 1/2" wall conduits
- Life time: >35.000 hours
- High quality polymers are used and resin filled
- The 170mm diameter is fully compatible with PAR56 niche
- Detachable 4m rubber cable (2 wires) included
- RGB types offer programmable white and 11 colour programs
- Made in Belgium

Max: +32 (0)495/790.892.





Spectravision



A colour for every mood

Adagio+ lamps offer you a range of fixed colours and dynamic lights. With just one click on the remote, you can give your swimming pool a totally different look.

Daylight Blue A bright-blue brilliance

Sunset
Love is in the Air
Forest Spring
Think Pink

The orange gleam gently rippling across the water
Red tints for an unforgettable tête-à-tête by the water.
Garden and pool unite as one with this green look.
Would you like to try something daring?

With lilac and pink, all eyes will unquestionably be on your

water show!

Sunshine A warm yellow sun that shines whenever you want.

White nuances

Adagio+ lamps offer you three different nuances of white light (with the RGB version). The light-output is dimmable.

Sun white The stunning white of a hot southern summer day.

Do you have your sunglasses at your fingertips?

Neutral white A nice, even and sober light embellishes your swimming

pool in the garden.

Warm white Some extra red in the colour composition creates

an astonishing warm and soft white tint.





Face plates


See page 6 and 7 for more face plates




Wall mounting accessories for all types of pools

Polyester, metal or woorden wall pools

Concrete or stone wall pools, liner, mosaic Pools







Ordering code	LED	Light output	Р	U	Ø
PLA100-WH	White	2100 lm	23 W	12V AC	10 cm
PLA100-WW	Warm white	1700 lm	25 W	12V AC	10 cm
PLA170-WH	White	3700 lm	48 W	12V AC	17 cm
PLA170-WW	Warm white	3200 lm	50 W	12V AC	17 cm
PLA100-BL	Blue	450 lm	20 W	12V AC	10 cm
PLA170-BL	Blue	980 lm	44 W	12V AC	17 cm
PLA100-RGB	RGB	1700 lm	50 W	12V AC	10 cm
PLA170-RGB	RGB	2400 lm	60 W	12V AC	17 cm

Face plates

Dare to be different

The sky is the limit, your pool is your ocean! Let your fantasy loose with our extensive choice in





Stand out from the crowd by personalizing your swimming pool with our face plates in various colours and shapes.

Your pool will be unique and customized. Taste and mood will determine your choice.

Type A



Simple, harmonious and elegant. These words best describe our most classic face plate. Available in 8 different colours and in stainless steel. Only for Ø17 cm and Ø10 cm.

Type B



Inspired by The Far East, the natural flow of the design in this face plate follows the flow of the water in your pool. Serene and graceful, unaffected by disturbance, calm and unruffled. Available in 8 different colours. Only for Ø17 cm and Ø10 cm.







Triangles and other symbols made of three parts may be used to present such concepts as past, present, and future or spirit, mind and body. Whether this is your reason for choosing this unique face plate, or just because the shape appeals to you, one thing is for sure, you will be original. Only for Ø17 cm and Ø10 cm.

only stainless steel

Type D



The sober design of this face plate gives it a Streamlined appearance with a soft touch. The best of both worlds!

Available in 8 different colours. Only for $\emptyset17$ cm and $\emptyset10$ cm.

















Type E





The number "5" has always been regarded as mystical and magical, yet essentially 'human'. We commonly note five senses - sight, hearing, smell, touch and taste. Whatever meaning these five sides may have to you, you will feel like a star in your own pool with this face plate. Available in 8 different colours. Only for Ø17cm and Ø10 cm.















Modern, yet graceful and warm, this stainless steel face plate stands for quality, durability and solidness. Streamlined, finely contoured, yet modest in its' looks.

Available in 5 different colours for Ø5 cm. In stainless steel for Ø17 cm, Ø10 cm and Ø5 cm.











Type N



Are you in for delightful and relaxing experiences. Don't hesitate to choose this elegant, smooth and ultra thin retro face plate. Your pool will be very harmonious.

Available in 8 different colours and in stainless steel. Only for Ø17 cm and Ø10 cm.













Type O



This creative face plate is one of the most elegant and modern designs ever made. No compromises were made, this makes your ADAGIO led light bright like never before. You will be astonished to have this creative and high quality ultra thin face plate in your pool.

Available in 5 different colours for Ø5 cm. In stainless steel for Ø17 cm, Ø10 cm and Ø5 cm.





Simple, harmonious and elegant. These words best describe our most classic face plate. Available in 8 different colours and in stainless steel (for North American market). Only for Ø17 cm.















Type Y



A very nice curved face plate for AdagioPro direct wall mounting.

This small and lightly accentuated face plate gives you a professional look, with easy installation. Only available in White and Ø10 cm.

Type P



A very small elegant stainless steel face plate. This refined design is developed specifically for stairs lighting applications.

Only available in stainless steel and Ø10 cm.



Pleasant animations!



3 Stainless Steel face plate (optional)

Why Moonlight

- Diameter is 170mm, ultra flat design
- Cable conduit for all panel types of pools included
- Life time: >25.000 hours
- High quality polymers are used and resin filled
- Is fully compatible with PAR56 niche
- 4m rubber cable (2 wires) included
- The RGB version offers 16 colour modes, pleasant transitions and fixed colours





Moonlight lamp pleasant animations

Moonlight offers you a range of fixed and dynamic lighting.

Red/blue evening light of Evening Sea
Mysterious, red/green shine of Evening River
Irresistible green/blue tints of Riviera
Astounding blue/red/green play of light of Rainbow
Red/blue/green/purple wealth of colours of Four Seasons
Comprehensive riot of colours of River of Colours.



Moonlight can transform your pool in a fascinating play of light and colours. We all love to get a little wild from time to time.

Explosive water fun guaranteed with the rhythmic and swirling colours of Disco
Go wild in the "swinging swimming pool", thanks to Party






2

Wall mounting accessories for all types of pools

Renovation of concrete

Renovation of wall pools











3

Face plate

Optional decorative face plate in stainless steel (RVS 316L) PZM170-SS

Ordering code	LED	Light output	Р	U	Ø
PLW300	White	1250 lm	16 W	12V AC	17 cm
PLW700	White	2100 lm	28 W	12V AC	17 cm
PLS300	RGB	575 lm	15 W	12V AC	17 cm
PLS700	RGB	1450 lm	25 W	12V AC	17 cm

PZM170-SS

Decorative face plate in Stainless steel



Reduce Power Consumption FROM 300 / 500W












TO < 80W



Ordering cod	de LED	Light output	Р	U	Ø
PLP170-WH PLP170-WW	White Warm white	5500 lm 4950 lm	60 W 60 W	12V AC 12V AC	
PLP170-RGB	RGB	3000 lm	75 W	12V AC	17 cm



Ordering cod	le LED	Light output	Р	U	Ø
PLA170-WH PLA170-WW	White Warm white	3700 lm 3200 lm	48 W 50 W	12V AC 12V AC	
PLA170-BL	Blue	980 lm	44 W	12V AC	17 cm
PLA170-RGB	RGB	2400 lm	60 W	12V AC	17 cm



Ordering code	LED	Light output	Р	U	Ø
PLW300B	White	1250 lm	16 W	12V AC	17 cm
PLW400B	White	1850 lm	19 W	12V AC	17 cm
PLW700B	White	2100 lm	28 W	12V AC	17 cm
PLS300B	RGB	575 lm	15 W	12V AC	17 cm
PLS400B	RGB	925 lm	21 W	12V AC	17 cm
PLS700B	RGB	1450 lm	25 W	12V AC	17 cm

ADAGIOPRO

Adagio series

Adagio series			PLP050			PLP100		
		RGB	WH	ww	RGB	WH	ww	RGB
0.1.1	LINUTC	DI POEO DOD	DI DOCO MILI	DI DOCO MANA/	PL MOO DCD	DI MOOMILI	DI MOO MAA	SI MAO DOD
Ordering code:	UNITS	PLP050-RGB						PLP170-RGB
Light colour:		R-G-B	Day White	Warm White	R-G-B	.,		R-G-B
Nominal colour temperature Tc:	[K]		5000	3000		5000		
Max. light Output:	[lm]	400	600	540	1700			3000
Beam Angle	[°]	116	116	116	116			116
Diameter Optic (mm):	[mm]	50	50	50	100	100	100	170
Max Power (W):	[W]	10	6	6	45	30	30	75
Nominal Input Voltage:	[V AC]	12	12	12	12	12	12	12
System Life time hrs:	[h]	>50.000	>50.000	>50.000	>50.000	>50.000	>50.000	>50.000
Power Factor:		> 0,96	> 0,93	> 0,93	> 0,96	> 0,93	> 0,93	> 0,96
Operating temperature:	[°C]	-5 up to 40	-5 up to 40	-5 up to 40	-5 up to 40	_		-5 up to 40
Can be used with the following	F - 3	-1			<u> </u>			1
Power Supply & Remote Control								
Color changing by Ma	anual ON/OFF	: v	Х	X	V	X	X	V
PL-REI	M & PL-REM-P	P: V	V	V	V	V	V	v
PL-REM-6	60 (max 60VA):): v	V	V	V	V	V	X
PL-REM-200	(max 200VA):): v	V	V	v	V	V	v
	PLA-REM:	1: X	X	X	X	X	X	X
	PLP-REM:	1: v	V	V	v	v	V	v
PLA-REM-300	(max 350VA):): X	X	X	X	X	X	X
PLP-REM-300	(max 350VA):): V	V	V	V	V	V	V

Moonlight

RGB (Mixed Colour Red-Green-Blue)

Ordering code:	UNITS	PLS300(B)	PLS400B	PLS700(B)
Light colour:	ONTS	R-G-B	R-G-B	R-G-B
Nominal colour temperature:	[K]	K G B	K O D	K G D
Max. light Output:	[lm]	575	925	1.450
Beam Angle	[°]	120	120	120
Diameter Optic:	[mm]	170	170	170
Max Power:	[W]	15	21	25
Nominal Input Voltage:	[V AC]	12	12	12
System Life time hrs:	[h]	>25.000	>25.000	>25.000
Power Factor:		> 0,73	> 0,73	> 0,73
Operating temperature:	[°C]	-5	-5	-5
	[°C]	up to 40	up to 40	up to 40
Can be used with the following Power Supply & Remote Contro				
	Manual ON/OFF:	V	V	V
	REM & PL-REM-P:	V	V	V
PL-REM-60 (max 60VA):		V	V	V
PL-REM-200 (max 200VA):		V	V	V
	PLP-REM:	V	V	V
PLP-REM-3	800 (max 350VA):	V	V	V

Max: +32 (0)495/790.892. max@dmaxs.be www.dmaxs.be

PLP170			PL	A100		PLA170			
WH	ww	RGB	BLUE	WH	ww	RGB	BLUE	WH	ww
PLP170-WH	PLP170-WW	PLA100-RGB	PLA100-BL	PLA100-WH	PLA100-WW	PLA170-RGB	PLA170-BL	PLA170-WH	PLA170-WW
Day White	Warm White	R-G-B		Day White	Warm White	R-G-B	Blue (Fixed)	Day White	Warm White
5000	3000			5650	3200			5650	3200
5500	4950	1700	450	2100	1700	2400	980	3700	3200
116	116	116	116	116	116	116	116	116	116
170	170	100	100	100	100	170	170	170	170
60	60	60	20	23	25	60	44	48	50
12	12	12	12	12	12	12	12	12	12
>50.000	>50.000	>35.000	>35.000	>35.000	>35.000	>35.000	>35.000	>35.000	>35.000
> 0,93	> 0,93	> 0,97	> 0,97	> 0,97	> 0,97	> 0,97	> 0,97	> 0,97	> 0,97
-5	-5	-5	-5	-5	-5	-5	-5	-5	-5
up to 40	up to 40	up to 40	up to 40	up to 40	up to 40	up to 40	up to 40	up to 40	up to 40
X	X	V	X	X	X	v	X	X	X
V	V	v	V	v	V	v	V	V	V
v	V	V	V	v	V	V	V	V	V
V	V	V	V	V	V	V	V	V	V
X	X	V	X	X	X	V	X	X	X
V	V	V	V	V	V	V	V	V	V
X	X	V	X	X	X	V	X	X	X
V	V	V	V	V	V	V	V	V	V

Fixed White

PLW300(B)	PLW400B	PLW700(B)
White	White	White
9000	9000	9000
1.250	1.850	2.100
120	120	120
170	170	170
16	19	28
12	12	12
>25.000	>25.000	>25.000
> 0,73	> 0,73	> 0,73
-5	-5	-5
up to 40	up to 40	up to 40
X	Х	X
V	V	V
V	V	V
V	V	V
V	V	V
V	V	V



LAMP CONTROL SOLUTIONS


N/OF

All Spectravision lamps can be operated on standard 12 V AC transformer (Magnetic).

Colour programs can be changed by ON/OFF switching.



PL-REM(-P)




DuraLink™

- Remote control for external transformer
- 2 auxiliary switches (A & B) (<16A)
 (Can be used for garden lighting or pool coverage)
- 1 handheld transmitter included



TX868-PL: extra handheld transmitter



DuraLink™

- Intelligent control for Adagio RGB
- DMX512 & RS-485 connectivity
- 1 handheld transmitter included



PLP-REM (For AdagioPro)

PLA-REM (For Adagio+)



TX868-PLA: extra handheld transmitter for PLP/PLA-REM

LAMP CONTROL SOLUTIONS




- Remote control with integrated magnetic Transformer 60 VA
- ! No A & B switches
- 1 handheld transmitter included



PL-REM-60



TX433-PL: extra handheld transmitter



PL-REM-60

DuraLink™


- Remote control with integrated magnetic Transformer 200 VA
- 2 auxiliary switches (A & B)
 (Can be used for garden lighting or pool coverage)
- 1 handheld transmitter included



PL-REM-200



TX868-PL: extra handheld transmitter



PL-REM-200

DuraLink™

- Intelligent control for Adagio+ RGB
- Built in transformer 350 VA
- DMX512 & RS-485 connectivity
- 1 handheld transmitter included




PLP-REM-300 (For AdagioPro)


PLA-REM-300 (For Adagio+)



TX868-PLA: extra handheld transmitter for PLP/PLA-REM-300



Spectravision



Your distributor

reproduced and/or published in any way without pr written permission of Propulsion Systems buba Propulsion Systems BVBA reserves the right to ma

15ENGLSPV1